Index

American Journal of Audiology: A Journal of Clinical Practice
Index to Volume 11, 2002

Author Index	139
Subject Index	139
Title Index	140
Department Index	141

Author Index

Behr, R. *See* Jackson et al., 11(2), 128–133

Berent, M. *See* Schow et al., 11(1), 9–12

Bilger, R. C. *See* Ramkissoon et al., 11(1) 23–28

Burkard, R. Educating audiologists: Diversity or homogeneity?, 11(1), 4–6

Burkard, R. F., & Sims, D. A comparison of the effects of broadband masking noise on the auditory brainstem response in young and older adults, 11(1), 13–22

Cacace, A. T. *See* McFarland & Cacace, 11(1), 7–9

Chard, L. L. *See* Purdy et al., 11(2), 72–82

Chermak, G. *See* Schow et al., 11(1), 9–12

Discolo, C. M., & Hirose, K. Pediatric cochlear implants, 11(2), 114–118

Domitz-Vieira, D. M. *See* Schow et al., 11(1), 9–12

Dorman, M. F., Loizou, P. C., Spahr, A. J., & Maloff, E. Factors that allow a high level of speech understanding by patients fit with cochlear implants, 11(2), 119–123

Erler, S. F., & Garstecki, D. C. Hearing loss- and hearing aid-related stigma: Perceptions of women with age-normal hearing, 11(2), 83–91

Farrington, D. R. *See* Purdy et al., 11(2), 72–82

Feth, L. L. *See* Knecht et al., 11(2), 65–71; McCaslin et al., 11(1), 42–49

Garstecki, D. C. *See* Erler & Garstecki, 11(2), 83–91

Ghossaini, S. N. *See* Spitzer et al., 11(2), 96–103

Halpin, C. The tuning curve in clinical audiology, 11(2), 56–64

Helms, J. *See* Jackson et al., 11(2), 128–133

Henry, P. *See* Ricketts & Henry, 11(1), 29–41

Hirose, K. *See* Discolo & Hirose, 11(2), 114–118

Hodgson, S.-A. *See* Purdy et al., 11(2), 72–82

Jackson, K. B., Mark, G., Helms, J., Mueller, J., & Behr, R. An auditory brainstem implant system, 11(2), 128–133

Jacobson, G. P. *See* McCaslin et al., 11(1), 42–49

Jacobson, G. P. Is the tail wagging the dog?, 11(1), 2–3

Jacobson, G. P. Our great and noble profession, 11(2), 54–55

Knecht, H. A., Nelson, P. B., Whitelaw, G. M., & Feth, L. L. Background noise levels and reverberation times in unoccupied classrooms: Predictions and measurements, 11(2), 65–71

Lansing, C. R. *See* Ramkissoon et al., 11(1) 23–28

Loizou, P. C. *See* Dorman et al., 11(2), 119–123

Maloff, E. *See* Dorman et al., 11(2), 119–123

Mark, G. *See* Jackson et al., 11(2), 128–133

McCaslin, D. L., Feth, L. L., Jacobson, G. P., & Mishler, P. J. An electrophysiological measure of temporal resolution in normal subjects using frequency modulated signals, 11(1), 42–49

McFarland, D. J., & Cacace, A. T. Factor analysis in CAPD and the "unimodal" test battery: Do we have a model that will satisfy?, 11(1), 7–9

Mishler, P. J. *See* McCaslin et al., 11(1), 42–49

Moran, C. A. *See* Purdy et al., 11(2), 72–82

Mueller, J. *See* Jackson et al., 11(2), 128–133

Nelson, P. B. *See* Knecht et al., 11(2), 65–71

Newman, C. W., & Sandridge, S. A. Introduction to *AJA* implantable hearing device symposium supplement, 11(2), 94–95

Proctor, A. *See* Ramkissoon et al., 11(1) 23–28

Purdy, S. C., Farrington, D. R., Moran, C. A., Chard, L. L., & Hodgson, S.-A. A parental questionnaire to evaluate children's auditory behavior in everyday life (ABEL), 11(2), 72–82

Ramkissoon, I., Proctor, A., Lansing, C. R., & Bilger, R. C. Digit speech recognition thresholds (SRT) for non-native speakers of English, 11(1) 23–28

Ricketts, T., & Henry, P. Low-frequency gain compensation in directional hearing aids, 11(1), 29–41

Sandridge, S. A. *See* Newman & Sandridge, 11(2), 94–95

Schow, R. L., Seikel, J. A., Chermak, G., Berent, M., & Domitz-Vieira, D. M. Support for a multiple-factor model of auditory processing, 11(1), 9–12

Seikel, J. A. *See* Schow et al., 11(1), 9–12

Shannon, R. V. The relative importance of amplitude, temporal, and spectral cues for cochlear implant processor design, 11(2), 124–127

Sims, D. *See* Burkard & Sims, 11(1) 13–22

Spahr, A. J. *See* Dorman et al., 11(2), 119–123

Spindel, J. H. Middle ear implantable hearing devices, 11(2), 104–113

Spitzer, J. B., Ghossaini, S. N., & Wazen, J. J. Evolving applications in the use of bone-anchored hearing aids, 11(2), 96–103

Wazen, J. J. *See* Spitzer et al., 11(2), 96–103

Weber, P. C. Medical and surgical considerations for implantable hearing prosthetic devices, 11(2), 134–138

Whitelaw, G. M. *See* Knecht et al., 11(2), 65–71

Subject Index

Hearing

Assessment of Hearing

Diagnostic Audiology—General

Digit speech recognition thresholds (SRT) for non-native speakers of English, 11(1), 23–28

Support for a multiple-factor model of auditory processing, 11(1), 9–12

The tuning curve in clinical audiology, 11(2), 56–64

Psychoacoustics

An electrophysiological measure of temporal resolution in normal subjects using frequency modulated signals, 11(1), 42–49

The tuning curve in clinical audiology, 11(2), 56–64

Specific Diagnostic Techniques and Approaches

Behavioral

Factor analysis in CAPD and the "unimodal" test battery: Do we have a model that will satisfy?, 11(1), 7–9

Support for a multiple-factor model of auditory processing, 11(1), 9–12

Electrophysiologic

A comparison of the effects of broadband masking noise on the auditory brainstem response in young and older adults, 11(1), 13–22

An electrophysiological measure of temporal resolution in normal subjects using frequency modulated signals, 11(1), 42–49

Pediatric

Support for a multiple-factor model of auditory processing, 11(1), 9–12

Speech

Digit speech recognition thresholds (SRT) for non-native speakers of English, 11(1), 23–28

The tuning curve in clinical audiology, 11(2), 56–64

Educating Audiologists

Educating audiologists: Diversity or homogeneity?, 11(1), 4–6

Intervention

Habilitation, Rehabilitation, and Education

A parental questionnaire to evaluate children's auditory behavior in everyday life (ABEL), 11(2), 72–82

An auditory brainstem implant system, 11(2), 128–133

Background noise levels and reverberation times in unoccupied classrooms: Predictions and measurements, 11(2), 65–71

Evolving applications in the use of bone-anchored hearing aids, 11(2), 96–103

Factors that allow a high level of speech understanding by patients fit with cochlear implants, 11(2), 119–123

Hearing loss- and hearing aid-related stigma: Perceptions of women with age-normal hearing, 11(2), 83–91

Introduction to *AJA* implantable hearing device symposium supplement, 11(2), 94–95

Pediatric cochlear implants, 11(2), 114–118

Hearing Aids and Other Prostheses

An auditory brainstem implant system, 11(2), 128–133

Evolving applications in the use of bone-anchored hearing aids, 11(2), 96–103

Factors that allow a high level of speech understanding by patients fit with cochlear implants, 11(2), 119–123

Hearing loss- and hearing aid-related stigma: Perceptions of women with age-normal hearing, 11(2), 83–91

Introduction to *AJA* implantable hearing device symposium supplement, 11(2), 94–95

Low-frequency gain compensation in directional hearing aids, 11(1), 29–41

Medical and surgical considerations for implantable hearing prosthetic devices, 11(2), 134–138

Middle ear implantable hearing devices, 11(2), 104–113

A parental questionnaire to evaluate children's auditory behavior in everyday life (ABEL), 11(2), 72–82

Pediatric cochlear implants, 11(2), 114–118

The relative importance of amplitude, temporal, and spectral cues for cochlear implant processor design, 11(2), 124–127

The tuning curve in clinical audiology, 11(2), 56–64

Nature of Hearing and Its Disorders

Auditory and Other Otic Pathologies

Support for a multiple-factor model of auditory processing, 11(1), 9–12

The tuning curve in clinical audiology, 11(2), 56–64

Effects of Noise and Issues in Hearing Conservation

Background noise levels and reverberation times in unoccupied classrooms: Predictions and measurements, 11(2), 65–71

Hearing Loss and Deafness

A parental questionnaire to evaluate children's auditory behavior in everyday life (ABEL), 11(2), 72–82

An auditory brainstem implant system, 11(2), 128–133

Evolving applications in the use of bone-anchored hearing aids, 11(2), 96–103

Factors that allow a high level of speech understanding by patients fit with cochlear implants, 11(2), 119–123

Hearing loss- and hearing aid-related stigma: Perceptions of women with age-normal hearing, 11(2), 83–91

Introduction to *AJA* implantable hearing device symposium supplement, 11(2), 94–95

Medical and surgical considerations for implantable hearing prosthetic devices, 11(2), 134–138

Middle ear implantable hearing devices, 11(2), 104–113

Pediatric cochlear implants, 11(2), 114–118

The relative importance of amplitude, temporal, and spectral cues for cochlear implant processor design, 11(2), 124–127

The tuning curve in clinical audiology, 11(2), 56–64

Normal Auditory Systems

An electrophysiological measure of temporal resolution in normal subjects using frequency modulated signals, 11(1), 42–49

Professional and General Scientific Issues

Professional Training

Education and Continuing Education

Educating audiologists: Diversity or homogeneity?, 11(1), 4–6

Speech

Nature of Normal Speech

Perception of Speech

The relative importance of amplitude, temporal, and spectral cues for cochlear implant processor design, 11(2), 124–127

Title Index

A comparison of the effects of broadband masking noise on the auditory brainstem response in young and older adults. Burkard, R. F., & Sims, D., 11(1), 13–22

A parental questionnaire to evaluate children's auditory behavior in everyday life (ABEL). Purdy, S. C., Farrington, D. R., Moran, C. A., Chard, L. L., & Hodgson, S.-A., 11(2), 72–82

An auditory brainstem implant system. Jackson, K. B., Mark, G., Helms, J., Mueller, J., & Behr, R., 11(2), 128–133

An electrophysiological measure of temporal resolution in normal subjects using frequency modulated signals. McCaslin, D. L., Feth, L. L., Jacobson, G. P., & Mishler, P. J., 11(1), 42–49

Background noise levels and reverberation times in unoccupied classrooms: Predictions and measurements. Knecht, H. A., Nelson, P. B., Whitelaw, G. M., & Feth, L. L., 11(2), 65–71

Digit speech recognition thresholds (SRT) for non-native speakers of English. Ramkissoon, I., Proctor, A., Lansing, C. R., & Bilger, R. C., 11(1), 23–28

Educating audiologists: Diversity or homogeneity? Burkard, R., 11(1), 4–6

Evolving applications in the use of bone-anchored hearing aids. Spitzer, J. B., Ghossaini, S. N., & Wazen, J. J., 11(2), 96–103

Factor analysis in CAPD and the "unimodal" test battery: Do we have a model that will satisfy? McFarland, D. J., & Cacace, A. T., 11(1), 7–9

Factors that allow a high level of speech understanding by patients fit with cochlear implants. Dorman, M. F., Loizou, P. C., Spahr, A. J., & Maloff, E., 11(2), 119–123

Hearing loss- and hearing aid-related stigma: Perceptions of women with age-normal hearing. Erler, S. F., & Garstecki, D. C., 11(2), 83–91
Introduction to *AJA* implantable hearing device symposium supplement. Newman, C. W., & Sandridge, S. A., 11(2), 94–95
Is the tail wagging the dog? Jacobson, G. P., 11(1), 2–3
Low-frequency gain compensation in directional hearing aids. Ricketts, T., & Henry, P., 11(1), 29–41
Medical and surgical considerations for implantable hearing prosthetic devices. Weber, P. C., 11(2), 134–138
Middle ear implantable hearing devices. Spindel, J. H., 11(2), 104–113
Pediatric cochlear implants. Discolo, C. M., & Hirose K., 11(2), 114–118
Support for a multiple-factor model of auditory processing. Schow, R. L., Seikel, J. A., Chermak, G., Berent, M., & Domitz-Vieira, D. M., 11(1), 9–12
The relative importance of amplitude, temporal, and spectral cues for cochlear implant processor design. Shannon, R. V., 11(2), 124–127
The tuning curve in clinical audiology. Halpin, C., 11(2), 56–64

Department Index

Editorials

Is the tail wagging the dog? Jacobson, G. P., 11(1), 2–3
Our great and noble profession. Jacobson, G. P., 11(2), 54–55

Letters to the Editor

Factor analysis in CAPD and the "unimodal" test battery: Do we have a model that will satisfy? McFarland, D. J., & Cacace, A. T., 11(1), 7–9
Support for a multiple-factor model of auditory processing. Schow, R. L., Seikel, J. A., Chermak, G., Berent, M., & Domitz-Vieira, D. M., 11(1), 9–12

Research and Technology–Articles

A comparison of the effects of broadband masking noise on the auditory brainstem response in young and older adults. Burkard, R. F., & Sims, D., 11(1), 13–22
A parental questionnaire to evaluate children's auditory behavior in everyday life (ABEL). Purdy, S. C., Farrington, D. R., Moran, C. A., Chard, L. L., & Hodgson, S.-A., 11(2), 72–82
An auditory brainstem implant system. Jackson, K. B., Mark, G., Helms, J., Mueller, J., & Behr, R., 11(2), 128–133
An electrophysiological measure of temporal resolution in normal subjects using frequency modulated signals. McCaslin, D. L., Feth, L. L., Jacobson, G. P., & Mishler, P. J., 11(1), 42–49
Background noise levels and reverberation times in unoccupied classrooms: Predictions and measurements. Knecht, H. A., Nelson, P. B., Whitelaw, G. M., & Feth, L. L., 11(2), 65–71
Digit speech recognition thresholds (SRT) for non-native speakers of English. Ramkissoon, I., Proctor, A., Lansing, C. R., & Bilger, R. C., 11(1), 23–28
Evolving applications in the use of bone-anchored hearing aids. Spitzer, J. B., Ghossaini, S. N., & Wazen, J. J., 11(2), 96–103
Factors that allow a high level of speech understanding by patients fit with cochlear implants. Dorman, M. F., Loizou, P. C., Spahr, A. J., & Maloff, E., 11(2), 119–123
Hearing loss- and hearing aid-related stigma: Perceptions of women with age-normal hearing. Erler, S. F., & Garstecki, D. C., 11(2), 83–91
Introduction to *AJA* implantable hearing device symposium supplement. Newman, C. W., & Sandridge, S. A., 11(2), 94–95
Low-frequency gain compensation in directional hearing aids. Ricketts, T., & Henry, P., 11(1), 29–41
Medical and surgical considerations for implantable hearing prosthetic devices. Weber, P. C., 11(2), 134–138
Middle ear implantable hearing devices. Spindel, J. H., 11(2), 104–113
Pediatric cochlear implants. Discolo, C. M., & Hirose, K., 11(2), 114–118
The relative importance of amplitude, temporal, and spectral cues for cochlear implant processor design. Shannon, R. V., 11(2), 124–127

Short Course

The tuning curve in clinical audiology. Halpin, C., 11(2), 56–64

Viewpoint

Educating audiologists: Diversity or homogeneity? Burkard, R., 11(1), 4–6